Title:

Certificate of Analysis (CoA)

Date: 4/24/2026
Date Tested: 4/23/2026
Customer: PepGuys.com
Testing material: Retatrutide
Lot Number: RT20-N1-14656
BT Sample ID: 005000039769117
Labeled Peptide Content/Potency: 20 mg
Storage: R.T.
Visual Description: small clear vial: white sample, white label, bronze crimp, clear plastic cap.
Labeled as: Retatrutide
Manufacturer: PG
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	126.8 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Retatrutide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.5 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 20 mg	21.4 mg (106.8 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	21.4 : 105.4 mg (1:4.9)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.


Andrea Castro, AS
Scientist-II
BTLabs

Verna Zheng, AS
Scientist-II
BTLabs

Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Retatrutide Lot RT20-N1-14656



HPLC Purity and Potency Assay @ 280 nm: Retatrutide Lot RT20-N1-14656



Retatrutide Lot RT20-N1-14656 @ 280 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	9.979	888.4

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com